

Stony Brook Technology Center. 3400 Nesconset Highway (8 Technology Drive). Suite 101. Setauket, NY 11733 271 Route 25A. Suite 1. Wading River, NY 11792 Phone: 631-751-8700 Fax: 631-751-5971 www.lidigestive.com

WILLIAM J. CUHN, M.D.

GARY R. BERNSTEIN, M.D.

EUGENE A. COMAN, M.D.

HOWARD A. KESCHNER, M.D.

ROBERT J. BARANOWSKI, M.D.

SETH E. PERSKY, M.D.

EMILY GLAZER, M.D.

EUGENE LICHT, M.D.

H. MATTHEW COHN, M.D.

NEVA CASTRO, M.D. WILLIAM J. COHN, M.D.

SETH E. PERSKY, M.D.

MARGARET A. CARIOLA, C.A.N.P. JILLIAN FRATEPIETRO, ANP-C JENNA SONNENBERG, N.P. ALYSSA ALLEN, N.P.

PROCEDURE DATE:		<b>MATHER</b>

#### ADVANCED SURGERY CENTER OF LONG ISLAND (ASCLI)

\*If you need to *cancel* your procedure, please let us know as soon as possible\*

### LIDDC: TWO DAY PREPARATION FOR COLONOSCOPY

\*\*FOLLOW THESE INSTRUCTIONS – NOT THE PREP KIT INSTRUCTIONS\*\*

# A. MORE THAN TWO WEEKS BEFORE YOUR PROCEDURE:

#### Inform the office at 631-751-8700 IF:

- 1. You are diabetic
- 2. You are allergic to latex
- 3. You take blood thinning products (Coumadin, Plavix, Aggrenox, Pradaxa, Pletal, Brilinta, Ticlid, Trental, Effient, Xarelto, Eliquis)
- 4. You have a prosthetic heart valve, a history of endocarditis, vascular graft, prosthetic joint replacement within the last 12 months. You may need antibiotic coverage for your procedure
- 5. Ensure you have a responsible party take you home from the procedure. We may cancel the procedure if you do not have a responsible party to take
- 6. You will be called by the surgery center (ASCLI) with your arrival time two days prior to procedure

#### B. ONE WEEK BEFORE YOUR PROCEDURE

- 1. Do not take iron, iron-containing compounds, Vitamin E, fish-oil, Advil, Motrin, ibuprofen, Aleve, and Naprosyn. You make take Tylenol (acetaminophen)
- 2. If you are taking aspirin 81 mg/day (baby aspirin) you should *CONTINUE* this unless otherwise instructed
- 3. Bloodwork should be done 7-14 days prior to the procedure
- 4. Avoid fruits/vegetables/supplements with seeds (ex. tomatoes, kiwi fruit, caraway, flax, poppy, sesame, and corn)

\*\*Do not take ANY GLP 1 agonist that is dosed on a weekly basis within 7 days before your procedure. Failure to comply will result in your procedure being cancelled. The GLP 1 agonists include the following: Mounjaro, Zepbound, Ozempic, Wegovy, Trulicity, Bydureon, Byetta, Saxenda, Victoza, Adylyxin and Semaglutide. If you are taking an oral GLP 1 agonist (ex. Semaglutide pill), do not take it on the day of your procedure!\*\*

#### C. INSTRUCTIONS: TWO DAYS BEFORE YOUR PROCEDURE

#### DO NOT EAT SOLID FOOD

- Begin a clear liquid diet 2 days prior to your colonoscopy and stay on this diet for the 2 days prior to the procedure. Drink at least 8 glasses of clear liquids. These fluids should **not be RED or PURPLE** (ex. Apple juice, water, clear broth or bouillon, Gatorade, Snapple, carbonated soda, Jello, ice popsicles, black coffee, black tea [sugar/sweetener is allowed, NO milk/creamer])
- 2. It is very important that you stay well hydrated. Call the office if you have problems or questions with the prep
- 3. Two nights before your colonoscopy, take Citrate of Magnesia 8 oz. at 5pm. On occasion, we may recommend a different laxative for this step of the preparation. Please follow the instructions for whichever laxative you were instructed to take
- 4. You will need to take a second prep the night before your colonoscopy as well. Please discuss this with our office and follow the instructions for that preparation

## D. THE DAY BEFORE YOUR PROCEDURE: DO NOT EAT SOLID FOOD

\*\*If your procedure is scheduled in **Mather Hospital**, **call 631-476-2717 the evening before** your scheduled procedure for your arrival time.

## E. THE DAY OF YOUR PROCEDURE: DO NOT EAT ANY FOOD!

# \*\*Please refer to the instructions provided on the second preparation you are required to take\*\*

- 1. You may **not** drink anything less than 6 hours before your procedure. No gum or candy.
- 2. You may brush your teeth
- 3. Take your usual morning medications with a **sip** of water as directed by your physician
- 4. Wear loose fitting clothes. Do not wear contact lenses, jewelry, or makeup. Remove tongue piercings.
- 5. Bring your **inhalers & glasses case** with you
- 6. Contact the office if you have questions or your physical condition changes (cold, fever, illness) at 631-751-8700
- 7. We may cancel your procedure if you do not have a driver to take you home. Your driver will need to sign your discharge papers. You may resume your normal diet after the procedure. You may not drive for the rest of the day/night. You may resume normal activities the next day